




SHANAYA®




WASHING INSTRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS BEFORE CUTTING / SEWING. FABRIC SHOULD BE SOAKED IN WATER (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES. DO NOT KEEP WET FABRIC INTWISTED FROM IN ORDER TO AVO D. COPY MARKS. IRON CLOTHES AT MODERATE TEMPERATURE. DO NOT DRY FABRIC IN DIRECT SUNLIGHT. (EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INCLUDED)




ROSE Premium Edition

S-155 B





SHANAYA®



WASHING INSTRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / SEWING, FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO NOT KEEP WET FABRIC IN TWISTED FORM IN ORDER TO AVOID COPY MARKS |
IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INCLUDED)



ROSE
Premium Edition

S-155 A





SHANAYA®



WASHING INSTRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / SEWING, FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO NOT KEEP WET FABRIC INTWISTED FROM IN ORDER TO AVOID COPY MARKS)
IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INCLUDED)



ROSE
Premium Edition

S-155C



ROSE

Premium Edition S-155

SHANAYA®



S-155 A



S-155 B



S-155 C





S-155 C



BACKSIDE WORK





S-155 A



BACKSIDE WORK

