




D.NO.232 D

TOP--FOX GEORJET WITH EMBROIDERY

BOTTOM- DULL SANTOON

DUPATTA-GEORJET WITH EMBROIDERY

CARE INTRUCTIONS



- DRY CLEAN RECOMMENDED
- DO NOT OVEREXPOSE DAMP FABRIC TO STRONG SUNLIGHT
- DO NOT USE ANYTYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- IRON AT MODERATE TEMPERATURE






D.NO.232 C

TOP--FOX GEORJET WITH EMBROIDERY

BOTTOM- DULL SANTOON

DUPATTA-GEORJET WITH EMBROIDERY

CARE INTRUCTIONS



- DRY CLEAN RECOMMENDED
- DO NOT OVEREXPOSE DAMP FABRIC TO STRONG SUNLIGHT
- DO NOT USE ANYTYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- IRON AT MODERATE TEMPERATURE






D.NO.232 B

TOP--FOX GEORJET WITH EMBROIDERY

BOTTOM- DULL SANTOON

DUPATTA-GEORJET WITH EMBROIDERY

CARE INTRUCTIONS



- DRY CLEAN RECOMMENDED
- DO NOT OVEREXPOSE DAMP FABRIC TO STRONG SUNLIGHT
- DO NOT USE ANYTYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- IRON AT MODERATE TEMPERATURE






D.NO.232 A

TOP--FOX GEORJET WITH EMBROIDERY

BOTTOM- DULL SANTOON

DUPATTA-GEORJET WITH EMBROIDERY

CARE INTRUCTIONS



- DRY CLEAN RECOMMENDED
- DO NOT OVEREXPOSE DAMP FABRIC TO STRONG SUNLIGHT
- DO NOT USE ANYTYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- IRON AT MODERATE TEMPERATURE





D.No | 232 A



D.No | 232-B



D.No | 232-C



D.No | 232-D





Dinsaa
Suits

PK-1211
Price: 100,000/-
100% Cotton
100% Silk
100% Polyester
100% Rayon
100% Linen
100% Wool
100% Leather
100% Rubber
100% Glass
100% Metal
100% Plastic
100% Paper
100% Fabric
100% Wood
100% Stone
100% Concrete
100% Brick
100% Mortar
100% Grout
100% Paint
100% Stain
100% Sealant
100% Adhesive
100% Glue
100% Putty
100% Filler
100% Primer
100% Underlayment
100% Membrane
100% Waterproofing
100% Insulation
100% Vapor Barrier
100% Radiant Barrier
100% Reflective Insulation
100% Acoustic Insulation
100% Thermal Insulation
100% Fire Retardant
100% Smoke Resistant
100% UV Resistant
100% Mildew Resistant
100% Mold Resistant
100% Bacteria Resistant
100% Insect Resistant
100% Rodent Resistant
100% Bird Resistant
100% Vandal Resistant
100% Graffiti Resistant
100% Tag Resistant
100% Tear Resistant
100% Abrasion Resistant
100% Scratch Resistant
100% Impact Resistant
100% Compression Resistant
100% Tension Resistant
100% Shear Resistant
100% Buckling Resistant
100% Creep Resistant
100% Relaxation Resistant
100% Fatigue Resistant
100% Fracture Resistant
100% Delamination Resistant
100% Spalling Resistant
100% Cracking Resistant
100% Displacement Resistant
100% Settlement Resistant
100% Uplift Resistant
100% Sliding Resistant
100% Pullout Resistant
100% Anchorage Resistant
100% Embedment Resistant
100% Lap Resistant
100% Weld Resistant
100% Bolt Resistant
100% Nut Resistant
100% Washer Resistant
100% Plate Resistant
100% Bracket Resistant
100% Anchor Resistant
100% Sleeve Resistant
100% Pad Resistant
100% Cap Resistant
100% Collar Resistant
100% Flange Resistant
100% Gasket Resistant
100% Seal Resistant
100% O-ring Resistant
100% V-ring Resistant
100% U-ring Resistant
100% E-ring Resistant
100% C-ring Resistant
100% S-ring Resistant
100% T-ring Resistant
100% Y-ring Resistant
100% Z-ring Resistant
100% A-ring Resistant
100% B-ring Resistant
100% C-ring Resistant
100% D-ring Resistant
100% E-ring Resistant
100% F-ring Resistant
100% G-ring Resistant
100% H-ring Resistant
100% I-ring Resistant
100% J-ring Resistant
100% K-ring Resistant
100% L-ring Resistant
100% M-ring Resistant
100% N-ring Resistant
100% O-ring Resistant
100% P-ring Resistant
100% Q-ring Resistant
100% R-ring Resistant
100% S-ring Resistant
100% T-ring Resistant
100% U-ring Resistant
100% V-ring Resistant
100% W-ring Resistant
100% X-ring Resistant
100% Y-ring Resistant
100% Z-ring Resistant



Dinsaa
Sult



